






AXIAL FLOW PUMP 8"

CURVE NO.
SPEED

AF8-8-1750
1750 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 8 "

CURVE NO.
SPEED

AF8-8-1180
1180 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 10"

CURVE NO.
SPEED

AF10-10-1750
1750 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 10"

CURVE NO.
SPEED

AF10-10-1180
1180 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 10"

CURVE NO.
SPEED

AF10-10-880
880 RPM




CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 12"

CURVE NO.
SPEED

AF12-11-1750
1750 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 12"

CURVE NO.
SPEED

AF12-11-1180
1180 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 12"

CURVE NO.
SPEED

AF12-11-880
880 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 14"

CURVE NO.
SPEED

AF14-12-1180
1180 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION: ONLY RATED POINT IS GUARANTEED




AXIAL FLOW PUMP 14"

CURVE NO.
SPEED

AF14-12-880
880 RPM





CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED



AXIAL FLOW PUMP 16"

CURVE NO.
SPEED

AF16-14-1180
1180 RPM



CURVES SHOW APPROXIMATELY THE BOWL PERFORMANCE CHARACTERISTICS WHEN PUMPING CLEAR COLD WATER WITH SPECIFIC GRAVITY OF 1.0
CONSULT FACTORY FOR FINAL SELECTION AND CERTIFICATION; ONLY RATED POINT IS GUARANTEED

